


1200x
1800mm | 15mm
THICKNESS




SMART SOLID SURFACE



COLOUR BODY

COLOR BODY TILES, RENOWNED FOR THEIR RICH HUES AND CONSISTENT COLOR THROUGHOUT, OFFER A SEAMLESS AND SOPHISTICATED FINISH FOR ANY ROOM. WHETHER YOU'RE REMODELING A BATHROOM, UPGRADING YOUR KITCHEN, OR CREATING A STUNNING FEATURE WALL, COLOR BODY TILES PROVIDE A VERSATILE AND STYLISH SOLUTION.




LUXURY THAT SPANS EVERY SQUARE MM.

DISCOVER THE EPITOME OF ELEGANCE WITH OUR SMART SOLID SURFACE, DESIGNED TO REDEFINE LUXURY IN EVERY DIMENSION. MEASURING 1200MM BY 1800MM, THIS INNOVATIVE MATERIAL COMBINES UNPARALLELED DURABILITY WITH A REFINED AESTHETIC. WHETHER FOR RESIDENTIAL OR COMMERCIAL SPACES, OUR SURFACES DELIVER A SOPHISTICATED TOUCH THAT STANDS THE TEST OF TIME.



INSPIRATION

OUR SMART SOLID SURFACE EMBODIES THE BEAUTY AND RESILIENCE FOUND IN NATURE. MEASURING 1200MM X 1800MM, THIS MATERIAL IS CRAFTED TO BRING THE RAW ELEGANCE OF NATURAL STONE INTO YOUR SPACE. EACH PIECE REFLECTS THE TIMELESS QUALITY AND SOPHISTICATED AESTHETICS INSPIRED BY THE NATURAL WORLD, MAKING IT A PERFECT CHOICE FOR BOTH CONTEMPORARY AND CLASSIC DESIGNS.



APPLICATION AREA


TILES AND SLABS HAVE A WIDE RANGE OF APPLICATIONS IN VARIOUS SETTINGS DUE TO THEIR DURABILITY, AESTHETICS, AND EASE OF MAINTENANCE. HERE ARE SOME KEY AREAS WHERE TILES AND SLABS ARE COMMONLY USED.

1200x
1800mm

Thickness
15mm


Glossy
Collection





Avenue Ivory

TYPOLOGY **Colorbody** |
 THICKNESS **15mm** |
 SIZE **1200x1800mm** |
 FINISH **Glossy**




Avenue Ivory

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **4**



Monaco Crema

TYPOLOGY
Colorbody
 THICKNESS
15mm
 SIZE
1200x1800mm
 FINISH
Glossy




Monaco Crema

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **3**



Palissandro Classico gold

TYPOLOGY	THICKNESS	SIZE	FINISH
Colorbody	15mm	1200x1800mm	Glossy



Palissandro Classico gold

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **2**



Travertine Crema

TYPOLOGY
Colorbody
 THICKNESS
15mm
 SIZE
1200x1800mm
 FINISH
Glossy



Travertine Crema

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **2**



Hordix Light

TYPOLOGY **Colorbody** |
 THICKNESS **15mm** |
 SIZE **1200x1800mm** |
 FINISH **Glossy**



Hordix Light

Minimum
3mm
Spacer
Recommended



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **3**



Travertino

TYPOLOGY	THICKNESS	SIZE	FINISH
Colorbody	15mm	1200x1800mm	Glossy



Travertino

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **2**



Breccia Aurora

TYPOLOGY	THICKNESS	SIZE	FINISH
Colorbody	15mm	1200x1800mm	Glossy



Breccia Aurora

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**



Breccia Beige

TYPOLOGY
Colorbody

THICKNESS
15mm

SIZE
1200x1800mm

FINISH
Glossy



Breccia Beige

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **3**



Breccia Lava

TYPOLOGY
Colorbody
 THICKNESS
15mm
 SIZE
1200x1800mm
 FINISH
Glossy



Breccia Lava

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **3**



Cloudy Beige

TYPOLOGY **Colorbody** |
 THICKNESS **15mm** |
 SIZE **1200x1800mm** |
 FINISH **Glossy**



Cloudy Beige

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **3**



Dyna Supreme

TYPOLOGY
Colorbody
 THICKNESS
15mm
 SIZE
1200x1800mm
 FINISH
Glossy



Dyna Supreme

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **2**



Dyna Turkish

TYPOLOGY Colorbody	THICKNESS 15mm	SIZE 1200x1800mm	FINISH Glossy
------------------------------	--------------------------	----------------------------	-------------------------




Dyna Turkish

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**



Flore Marfil

TPOLOGY Colorbody	THICKNESS 15mm	SIZE 1200x1800mm	FINISH Glossy
-----------------------------	--------------------------	----------------------------	-------------------------




Flore Marfil

Minimum
3mm
Spacer
Recomended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**




Crema Marfil

TYPOLOGY
Colorbody
 THICKNESS
15mm
 SIZE
1200x1800mm
 FINISH
Glossy



Crema Marfil

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **4**




Fume Emperador Latte

TYPOLOGY **Colorbody** |
 THICKNESS **15mm** |
 SIZE **1200x1800mm** |
 FINISH **Glossy**



Fume Emperador Latte

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **3**



Valentino

TYPOLOGY **Colorbody** |
 THICKNESS **15mm** |
 SIZE **1200x1800mm** |
 FINISH **Glossy**



Valentino

Minimum
3mm
Spacer
Recommended



15mm




Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **4**



Victoria Beige

TPOLOGY	THICKNESS	SIZE	FINISH
Colorbody	15mm	1200x1800mm	Glossy




Victoria Beige

Minimum
3mm
Spacer
Recomended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**



Patagonia

TYPOLOGY	THICKNESS	SIZE	FINISH
Colorbody	15mm	1200x1800mm	Glossy




Patagonia

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**



TYPOLOGY	THICKNESS	SIZE	FINISH
Colorbody	15mm	1200x1800mm	Glossy

Minimum
3mm
Spacer
Recommended



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**



5001

TYPOLOGY
Colorbody

THICKNESS
15mm

SIZE
1200x1800mm

FINISH
Glossy



5001

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **3**




Atlantic White

TYPOLOGY	THICKNESS	SIZE	FINISH
Colorbody	15mm	1200x1800mm	Glossy



Atlantic White

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **4**



Brillo Gold

TYPOLOGY
Colorbody

THICKNESS
15mm

SIZE
1200x1800mm

FINISH
Glossy



Brillo Gold

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **3**

1200x
1800mm

Thickness
15mm

MattCollection





Monaco Crema

TYPOLOGY	THICKNESS	SIZE	FINISH
Colorbody	15mm	1200x1800mm	Matt



Monaco Crema

Minimum
3mm
Spacer
Recommended



Size : **1200x1800mm**
Finish : **Matt**
Typology : **Colorbody**
Random : **3**



Travertino

TYPOLOGY	THICKNESS	SIZE	FINISH
Colorbody	15mm	1200x1800mm	Matt



Travertino

Minimum
3mm
Spacer
Recommended



15mm




Size : **1200x1800mm**
Finish : **Matt**
Typology : **Colorbody**
Random : **2**



Orion Crema

TYPOLOGY
Colorbody
 THICKNESS
15mm
 SIZE
1200x1800mm
 FINISH
Matt+Carving



Orion Crema

Minimum
3mm
Spacer
Recommended



15mm




Size : **1200x1800mm**
 Finish : **Matt+Carving**
 Typology : **Colorbody**
 Random : **4**



Patagonia

TYPOLOGY	THICKNESS	SIZE	FINISH
Colorbody	15mm	1200x1800mm	Matt+Carving



Patagonia

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Matt+Carving**
Typology : **Colorbody**
Random : **3**



Verona Beige

TYPOLOGY
Colorbody
 THICKNESS
15mm
 SIZE
1200x1800mm
 FINISH
Matt+Carving



Verona Beige

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Matt+Carving**
 Typology : **Colorbody**
 Random : **3**

TECHNICAL SPECIFICATION OF SLAB VITRIFIED TILE

TEST DISCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	VALUE
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rapture(N/mm ²)	IS-13630-6	Min. 35N/mm ²	Min. 37N/mm ²
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm-1300N	≤7.5mm-1000N ≥7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As per Mfg.	Class II Min.
Co-Efficient of Linear Thermal Expansion	IS-13630-4	As per Mfg.	6.5x10 ⁻⁶ Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As per Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As per Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As per Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As per Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B/A	As per Mfg.	As per Mfg.

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200X1800mm	15mm	1	2.16 sq. mtr.	75 kg



Divaqeramika.com

+383 49 600 046

divaqeramika@gmail.com

+383 49 668 382