


30 x 60

BLANCOS
Porcelain collection
2022




30x60 / 60x60 / 40x80 / 60x120
available sizes

30x60

ALL BLANCOS
Porcelain collection 2022



other available sizes
60x60 / 40x80 / 60x120



1031 FUTURA CARRARA (13 FACE)

BREAKING STRENGTH (3) (ISO 10545-4)	WATER ABSORPTION (ISO 10545-3)	FROST RESISTANCE (ISO 10545-12)	CHEMICAL RESISTANCE (ISO 10545-13)	STAIN RESISTANCE (ISO 10545-14)	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





POLISHED
300 X 600 MM



2010 VERSACE BIANCO (9 FACE)

BREAKING STRENGTH (S) ISO 10545-4	WATER ABSORPTION (S) ISO 10545-3	FROST RESISTANCE (S) ISO 10545-12	CHEMICAL RESISTANCE (S) ISO 10545-13	STAIN RESISTANCE (S) ISO 10545-14	USE APPLICATION	USE APPLICATION
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





2013 MAKRANA WHITE (16 FACE)

BREAKING STRENGTH (D) ISO 10545-4	WATER ABSORPTION (D) ISO 10545-3	FROST RESISTANCE (D) ISO 10545-12	CHEMICAL RESISTANCE (D) ISO 10545-13	STAIN RESISTANCE (D) ISO 10545-14	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





2013 MAKRANA WHITE (16 FACE)



2014 AFYON WHITE (10 FACE)


BREAKING STRENGTH (3) ISO 10545-4	WATER ABSORPTION ISO 10545-3	FROST RESISTANCE ISO 10545-12	CHEMICAL RESISTANCE ISO 10545-13	STAIN RESISTANCE ISO 10545-14	USE APPLICATION	USE APPLICATION
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





2015 COLORADO GREY (13 FACE)

BREAKING STRENGTH (S) ISO 10545-4	WATER ABSORPTION ISO 10545-3	FROST RESISTANCE ISO 10545-12	CHEMICAL RESISTANCE ISO 10545-13	STAIN RESISTANCE ISO 10545-14	USE APPLICATION	USE APPLICATION
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





2016 COLORADO BROWN (13 FACE)

BREAKING STRENGTH (D) ISO 10545-4	WATER ABSORPTION (D) ISO 10545-3	FROST RESISTANCE (D) ISO 10545-12	CHEMICAL RESISTANCE (D) ISO 10545-13	STAIN RESISTANCE (D) ISO 10545-14	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





2017 SATVARIO SUPRIMO (22 FACE)

BREAKING STRENGTH (3) ISO 10545-4	WATER ABSORPTION ISO 10545-3	FROST RESISTANCE ISO 10545-12	CHEMICAL RESISTANCE ISO 10545-13	STAIN RESISTANCE ISO 10545-14	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR






2022 ROMA STATUARIO (19 FACE)

BREAKING STRENGTH (D) ISO 10545-4	WATER ABSORPTION (D) ISO 10545-3	FROST RESISTANCE (D) ISO 10545-12	CHEMICAL RESISTANCE (D) ISO 10545-13	STAIN RESISTANCE (D) ISO 10545-14	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR






4199 VELINA BIANCO (9 FACE)

BREAKING STRENGTH (3) ISO 10545-4	WATER ABSORPTION ISO 10545-3	FROST RESISTANCE ISO 10545-12	CHEMICAL RESISTANCE ISO 10545-13	STAIN RESISTANCE ISO 10545-14	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR



4199 VELINA BIANCO (9 FACE)




6241 BALI WHITE (8 FACE)

BREAKING STRENGTH (D) ISO 10545-4	WATER ABSORPTION ISO 10545-3	FROST RESISTANCE ISO 10545-12	CHEMICAL RESISTANCE ISO 10545-13	STAIN RESISTANCE ISO 10545-14	USE APPLICATION	USE APPLICATION
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR




6241 BALI WHITE (8 FACE)




6247 RIBBON WHITE (8 FACE)

BREAKING STRENGTH (3) ISO 10545-4	WATER ABSORPTION ISO 10545-3	FROST RESISTANCE ISO 10545-12	CHEMICAL RESISTANCE ISO 10545-13	STAIN RESISTANCE ISO 10545-14	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR



6247 RIBBON WHITE (8 FACE)



6265 STATUARIO WHITE (6 FACE)

BREAKING STRENGTH (3) (ISO 10545-4)	WATER ABSORPTION (ISO 10545-3)	FROST RESISTANCE (ISO 10545-12)	CHEMICAL RESISTANCE (ISO 10545-13)	STAIN RESISTANCE (ISO 10545-14)	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR



6265 STATUARIO WHITE (6 FACE)




6278 GRIGIO CARRARA (8 FACE)

BREAKING STRENGTH (3) ISO 10545-4	WATER ABSORPTION ISO 10545-3	FROST RESISTANCE ISO 10545-12	CHEMICAL RESISTANCE ISO 10545-13	STAIN RESISTANCE ISO 10545-14	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR



6278 GRIGIO CARRARA (8 FACE)



6290 ASPEN HONED (8 FACE)

BREAKING STRENGTH (D) ISO 10545-4	WATER ABSORPTION ISO 10545-3	FROST RESISTANCE ISO 10545-12	CHEMICAL RESISTANCE ISO 10545-13	STAIN RESISTANCE ISO 10545-14	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR




6290 ASPEN HONED (8 FACE)



6299 CALACATTA (32 FACE)

BREAKING STRENGTH (D) ISO 10545-4	WATER ABSORPTION ISO 10545-3	FROST RESISTANCE ISO 10545-12	CHEMICAL RESISTANCE ISO 10545-13	STAIN RESISTANCE ISO 10545-14	USE APPLICATION	USE APPLICATION
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





12001 Himalaya White (8 FACE)

BREAKING STRENGTH (3) (ISO 10545-4)	WATER ABSORPTION (ISO 10545-3)	FROST RESISTANCE (ISO 10545-12)	CHEMICAL RESISTANCE (ISO 10545-13)	STAIN RESISTANCE (ISO 10545-14)	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





12149 Arbescato White (8 FACE)

BREAKING STRENGTH (3) (ISO 10545-4)	WATER ABSORPTION (ISO 10545-3)	FROST RESISTANCE (ISO 10545-12)	CHEMICAL RESISTANCE (ISO 10545-13)	STAIN RESISTANCE (ISO 10545-14)	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR






12156 Platinum Satvario (13 FACE)

BREAKING STRENGTH (3) (ISO 10545-4)	WATER ABSORPTION (ISO 10545-3)	FROST RESISTANCE (ISO 10545-12)	CHEMICAL RESISTANCE (ISO 10545-13)	STAIN RESISTANCE (ISO 10545-14)	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





12193 Quartz Calacatta (4 FACE)

BREAKING STRENGTH (3) (ISO 10545-4)	WATER ABSORPTION (ISO 10545-3)	FROST RESISTANCE (ISO 10545-12)	CHEMICAL RESISTANCE (ISO 10545-13)	STAIN RESISTANCE (ISO 10545-14)	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





12194 ROSEDALE WHITE (10 FACE)

BREAKING STRENGTH (3) (ISO 10545-4)	WATER ABSORPTION (ISO 10545-3)	FROST RESISTANCE (ISO 10545-12)	CHEMICAL RESISTANCE (ISO 10545-13)	STAIN RESISTANCE (ISO 10545-14)	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





12194 ROSEDALE WHITE (10 FACE)



12196 Decton White (10 FACE)

BREAKING STRENGTH (3) (ISO 10545-4)	WATER ABSORPTION (ISO 10545-3)	FROST RESISTANCE (ISO 10545-12)	CHEMICAL RESISTANCE (ISO 10545-13)	STAIN RESISTANCE (ISO 10545-14)	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





12197 SPARKLING WHITE (10 FACE)

BREAKING STRENGTH (D) ISO 10545-4	WATER ABSORPTION (D) ISO 10545-3	FROST RESISTANCE (D) ISO 10545-12	CHEMICAL RESISTANCE (D) ISO 10545-13	STAIN RESISTANCE (D) ISO 10545-14	USE APPLICATION	USE APPLICATION
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR



12197 SPARKLING WHITE (10 FACE)



12201 Bardiglio Classico (10 FACE)

BREAKING STRENGTH (3) ISO 10545-4	WATER ABSORPTION (ISO 10545-3)	FROST RESISTANCE (ISO 10545-12)	CHEMICAL RESISTANCE (ISO 10545-13)	STAIN RESISTANCE (ISO 10545-14)	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





12217 GLACIER CARARA (13 FACE)

BREAKING STRENGTH (3) (ISO 10545-4)	WATER ABSORPTION (ISO 10545-3)	FROST RESISTANCE (ISO 10545-12)	CHEMICAL RESISTANCE (ISO 10545-13)	STAIN RESISTANCE (ISO 10545-14)	USE APPLICATION	USE APPLICATION
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





ROMAN SATVARIO (15 FACE)

BREAKING STRENGTH (3) ISO 10545-4	WATER ABSORPTION ISO 10545-3	FROST RESISTANCE ISO 10545-12	CHEMICAL RESISTANCE ISO 10545-13	STAIN RESISTANCE ISO 10545-14	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR





TROPICAL SATVARIO (6 FACE)

BREAKING STRENGTH (3) ISO 10545-4	WATER ABSORPTION ISO 10545-3	FROST RESISTANCE ISO 10545-12	CHEMICAL RESISTANCE ISO 10545-13	STAIN RESISTANCE ISO 10545-14	USE APPLICATION	USE APPLICATION
						
> 1300 N	< 0.5 %	RESISTANT	GLA, GHA (RESISTANT)	CLASS 5 (RESISTANT)	WALL	FLOOR

