

**ArchRock**  
COLLECTION

**TIMELESS  
BRILLIANCE**



**BRILLO**  
SURFACE

**800X3200MM, 800X3000MM  
800X2400MM**

**15MM THICKNESS**

**D** **DIVA**®  
QERAMIKA



# INTRODUCTION




DESIGNED FOR  
A SUPERIOR  
LIFESTYLE

ArchRock  
COLLECTION

WE BRING YOU A  
MAGNIFICENT RANGE OF  
SUPERIOR SURFACES WITH  
THE ARCHROCK  
COLLECTION THAT  
REDEFINES THE STYLE OF  
A SPACE WITH ITS  
POISED AND APPEALING  
DESIGNS.

THE COLOSSAL SURFACES OF THE  
ARCHROCK COLLECTION ARE  
SYNONYMOUS WITH LUXURY,  
RADIANCE, AND UPSCALE LIVING TO  
DESIGN YOUR SPACES CLASS-APART  
AND TRULY MATCHLESS. THESE  
SURFACES ARE SPECIALLY DESIGNED  
TO GIVE YOUR SPACES THE  
ESSENCE OF GRANDEUR AND  
ELITENESS PAIRED WITH  
UNPRECEDENTED FEATURES,  
FUNCTIONALITY, VERSATILITY, AND  
ELEGANCE.

WE BELIEVE IN LIVING LIFE  
KING SIZE AND WITH THIS  
BELIEF, WE OFFER GRAND-  
SIZED SURFACES TO CREATE  
LARGER-THAN-LIFE SPACES  
THAT DELIVER A SENSE OF  
SURREALITY AND LUXURY.



# THE BRILLIANT BRILLO SURFACES

BRILLO  
SURFACE

**Diva**<sup>®</sup>  
QERAMIKA

## TRANSFORMING SPACES WITH GLORIOUS REFULGENCE

THE BRILLO SURFACE IS  
A REFLECTION OF CLASS,  
BEAUTY, AND  
UNMATCHED ELEGANCE.  
THE SURFACE IS A  
SCINTILLATING POEM OF  
REFULGENT GRACE  
ALLOWING YOUR SPACES  
TO GLOW AND SHINE.



BRILLO SURFACE BRINGS A SUPERIOR  
SURFACE EXPERIENCE TO YOUR  
SPACES WITH ITS GLORIOUS SHINE.  
AS THE NAME SUGGESTS THE BRILLO  
SURFACE IS A BRILLIANTLY SHINING  
FINISH OFFERING YOUR SPACES  
GLOSSY ELEGANCE TRANSFORMING  
THEM INTO EXTRAVAGANT AND  
SOPHISTICATED SPACES WHILST  
GIVING THEM THE FEEL OF REALLY  
LARGE SPACES IF NOT.

# REDEFINE YOUR SPACES WITH ENDLESS POSSIBILITIES

REDEFINING THE MEANING OF EXTRAVAGANCE AND MAJESTIC SIZES, THE ARCHROCK COLLECTION IN SIZES 800X3200, 800X3000 & 800X2400 IS ALLOWING YOU TO REIMAGINE THE LARGE FORMATS FOR THE FUNCTIONAL AND LUXURIOUS DEMANDS OF YOUR SPACES.

THE EXCLUSIVE COLLECTION IS AVAILABLE IN A PLETHORA OF DESIGNS, MULTIPLE SIZES, ONE GLORIOUS FINISH, AND MOST OF ALL 5 DIFFERENT COLOR BODIES. THE BODY OF THE TILES MATCHES THE COLOR OF THE GLAZE TO OFFER YOUR SPACES A SEAMLESS APPEAL AND DETAILS ONE'S EYE CANNOT MISS.



## BIG SIZE SLABS

15MM THICKNESS

THE EXTENSIVELY LARGE SLABS ARE AVAILABLE IN ULTRA-DURABLE THICKNESS OF 15MM MAKING THEM EXTREMELY RELIABLE AND IDEAL FOR EXTENSIVE AREAS OF APPLICATION.


# FUNCTIONALITY FOR UNRESTRICTED APPLICATION

THE COLLECTION & ITS FORMATS OPEN  
BOUNDLESS APPLICATION POSSIBILITIES IN  
YOUR SPACES.



THE SLABS OF THE COLLECTION IN VERSATILE SIZES ARE IDEAL FOR A LONG LIST OF APPLICATIONS IN DIFFERENT SPACES. THE FORMATS ARE IDEAL FOR DIRECT AND EFFORTLESS COUNTERTOP APPLICATIONS, SUCH AS DINING TABLETOPS, KITCHEN COUNTERTOPS, BATHROOM VANITIES, AND WORKTOPS.

THE SLABS OFFER TRULY SEAMLESS FLOORING AND WALL CLADDING OFFERING EASE OF APPLICATION TO SPACES LIKE FIREPLACES, WINDOW AND DOOR FRAMES, LIFT FRAMES, AND A LOT MORE.



## APPLICATION AREAS

- |  |                 |  |                     |
|--|-----------------|--|---------------------|
|  | COUNTERTOP      |  | STAIRCASE           |
|  | DINING TABLETOP |  | WINDOW & DOOR FRAME |
|  | LIFT FRAME      |  | BASIN & FURNITURE   |
|  | BATHROOM        |  | FIREPLACE           |
|  | WORKTOP         |  | WALL CLADDING       |
|  | ELEVATION       |  | FLOOR COVERING      |



# VERSATILE & LAVISH APPLICATION SOLUTION



THE FORMATS OF THE COLLECTION ARE SPECIALLY CRAFTED TO ALLOW YOU TO CRAFT LUXURIOUS AND RESILIENT KITCHEN COUNTERTOPS WITH CUTOUTS FOR BASINS AND MORE, BATHROOM VANITIES, DINING TABLETOPS, AND MORE EFFORTLESSLY.



THE COLLECTION FACILITATES A LAVISH AND TRULY FUNCTIONAL COUNTERTOP, WORKTOP, VANITY, STAIRCASE APPLICATION, AND MUCH MORE.



# FEATURES THAT AID LIFESTYLE

THE LUXURIOUS COLLECTION IS EXCEPTIONALLY RICH IN FEATURES TOO TO EVOLVE SPACES AS FUNCTIONAL AS THEY ARE LAVISH. RESISTANT TO SCRATCHES, STAINS, HEAT, FROST, AND MORE THE SURFACES ARE IDEAL FOR USE IN KITCHEN AND OTHER SPACES REQUIRING RESISTANCE FROM MODERN-DAY USE ADVERSITIES. THEY ARE RESISTANT TO IMPACTS, EASY TO CLEAN, AND NON-POROUS RESISTING MICROBIAL GROWTH.

## TECHNICAL FEATURES



HYGIENIC AND SUITABLE FOR CONTACT WITH FOOD



WATER RESISTANT SURFACE



STAIN RESISTANT SURFACE



SCRATCH AND ABRASION RESISTANT



RESISTANT TO CHEMICALS, ACIDS, BASES, AND SOLVENTS



EASY TO CLEAN SURFACE



IMPACT RESISTANT SURFACE



RESISTANT TO UV RAYS



RESISTANT TO MOULD, MILDEW, AND FUNGUS



RESISTANT TO FIRE AND HEAT



FROST RESISTANT SURFACE



FLATNESS AND STABILITY OVER TIME

# A PALETTE OF RICH COLOURS

## WHITE BODY

|                                                                                     |                                                                                     |                                                                                      |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| APOLLO WHITE                                                                        | ARISTON BIANCO                                                                      | CALACATTA BELISSIMO                                                                  |
|    |    |    |
| CALACUTTA LIGHT                                                                     | CARRARA GOLD                                                                        | CLOUDY ONYX                                                                          |
|    |    |    |
| GOLDEN STATUARIO                                                                    | ROSSO ONYX                                                                          | PRIMAVERA                                                                            |
|    |    |    |
| STATUARIO AFGHAN                                                                    | STATUARIO BOOK MATCH                                                                | STATUARIO GREY                                                                       |
|   |   |   |
| STATUARIO NATURAL                                                                   | STATUARIO REGALIA                                                                   | STATUARIO SCALA                                                                      |
|  |  |  |
| STATUARIO SILK                                                                      | VOLAKAS GRIGIO                                                                      |                                                                                      |
|  |  |                                                                                      |

## GREY BODY

|                                                                                     |                                                                                     |                                                                                      |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| AMAZONITE                                                                           | ARMANI GREY                                                                         | FRENCH GREY                                                                          |
|  |  |  |
| PIETRA GREY                                                                         | SONATA GREY                                                                         |                                                                                      |
|  |  |                                                                                      |

ARCHROCK COLLECTION

BRILLO HIGH GLOSS SURFACE

15MM THICKNESS



## IVORY BODY

|                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| AVORIO GRANITE                                                                      | BRECCIA AROURA                                                                      | TURKEY ONYX                                                                         |
|  |  |  |
| PATAGONIA CLASSIC                                                                   |                                                                                     |                                                                                     |
|  |                                                                                     |                                                                                     |

## BROWN BODY

|                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| EMPRADORE BROWN                                                                     | ILLUSION BRONZE                                                                     | IMPERIO ARMANI MOCHA                                                                |
|  |  |  |
| TOBACCO BROWN                                                                       |                                                                                     |                                                                                     |
|  |                                                                                     |                                                                                     |

## BLACK BODY

|                                                                                       |                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| ANTIGO BLACK                                                                          | ATLAS NEO                                                                             | AGATE CHARCOAL                                                                        |
|  |  |  |
| BELGIUM BLACK                                                                         | BLACK FUSION                                                                          | BLACK GOLD                                                                            |
|  |  |  |
| BLACK NOIR                                                                            | BLACK PORTORO                                                                         | LABRADORITE                                                                           |
|  |  |  |
| MARCUS AQUA                                                                           | MARMO FOREST                                                                          | MARGUINA FUSION                                                                       |
|  |  |  |
| MUSHROOM GRANITE                                                                      | OCEAN VOLGA                                                                           | LAURENT GOLD                                                                          |
|  |  |  |
| WOODY BLACK                                                                           |                                                                                       |                                                                                       |
|  |                                                                                       |                                                                                       |





RECEPTION TABLE  
APOLLO WHITE


## APOLLO WHITE

APOLLO  
WHITE



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE WHITE BODY





ISLAND PLATFORM  
ARISTON BIANCO

WALL & FURNITURE  
ARISTON BIANCO

## ARISTON BIANCO

ARISTON  
BIANCO



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE WHITE BODY

## CALACATTA BELISIMO

CALACATTA  
BELISIMO



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE WHITE BODY



ARCHROCK COLLECTION

BRILLO HIGH GLOSS SURFACE

15MM THICKNESS

DINING TABLETOP  
CALACUTTA LIGHT  
BACKSPLASH & COUNTERTOP  
CALACUTTA LIGHT  
32-33

## CALACUTTA LIGHT

CALACUTTA  
LIGHT



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE WHITE BODY

## CARRARA GOLD

CARRARA  
GOLD



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE WHITE BODY






DINING TABLETOP  
CLOUDY ONYX

## CLOUDY ONYX

CLOUDY  
ONYX



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE WHITE BODY



## GOLDEN STATUARIO

GOLDEN  
STATUARIO



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE WHITE BODY

## ROSSO ONYX

ROSSO  
ONYX



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE WHITE BODY

## PRIMAVERA




PRIMAVERA



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE WHITE BODY

## STATUARIO AFGHAN

STATUARIO  
AFGHAN



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE WHITE BODY



## STATUARIO BOOK MATCH

STATUARIO  
BOOK MATCH



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
BOOKMATCH A+B  
THICKNESS 15MM  
TYPE WHITE BODY

## STATUARIO GREY

STATUARIO  
GREY



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE WHITE BODY

## STATUARIO NATURAL

STATUARIO  
NATURAL



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE WHITE BODY

## STATUARIO REGALIA

STATUARIO  
REGALIA



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE WHITE BODY

## STATUARIO SCALA

STATUARIO  
SCALA



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE WHITE BODY

## STATUARIO SILK

STATUARIO  
SILK



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE WHITE BODY

## VOLAKAS GRIGIO

VOLAKAS  
GRIGIO



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE WHITE BODY



## AMAZONITE

AMAZONITE



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 4  
THICKNESS 15MM  
TYPE GREY BODY



## ARMANI GREY



ARMANI  
GREY



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE GREY BODY



ISLAND PLATFORM & DINING TABLETOP  
FRENCH GREY

## FRENCH GREY

FRENCH  
GREY



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE GREY BODY



## PIETRA GREY

PIETRA  
GREY



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE GREY BODY

## SONATA GREY

SONATA  
GREY



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE GREY BODY



## AVORIO GRANITE

AVORIO  
GRANITE



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
THICKNESS 15MM  
TYPE IVORY BODY





RECEPTION TABLE  
BRECCIA AROURA

WALL  
BRECCIA AROURA

## BRECCIA AROURA

BRECCIA  
AROURA



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE IVORY BODY

## TURKEY ONYX

TURKEY  
ONYX



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE IVORY BODY





ISLAND PLATFORM  
PATAGONIA CLASSIC

KITCHEN COUNTERTOP  
PATAGONIA CLASSIC

## PATAGONIA CLASSIC

PATAGONIA  
CLASSIC



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE IVORY BODY



WALL  
EMPRADORE BROWN

## EMPRADORE BROWN

EMPRADORE  
BROWN




800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE BROWN BODY




## ILLUSION BRONZE

ILLUSION  
BRONZE



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 4  
THICKNESS 15MM  
TYPE BROWN BODY





## IMPERIO ARMANI MOCHA

IMPERIO  
ARMANI MOCHA



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE BROWN BODY

## TOBACCO BROWN




TOBACCO  
BROWN


800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE BROWN BODY



## ANTICO BLACK



ANTICO  
BLACK



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE BLACK BODY



ISLAND PLATFORM  
ATLAS NEO

BACKSPLASH & COUNTERTOP  
ATLAS NEO

## ATLAS NEO


ATLAS  
NEO



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE BLACK BODY

## AGATE CHARCOAL

AGATE  
CHARCOAL



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 4  
THICKNESS 15MM  
TYPE BLACK BODY



## BELGIUN BLACK


BELGIUN  
BLACK



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE BLACK BODY

## BLACK FUSION

BLACK  
FUSION




800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE BLACK BODY



## BLACK GOLD

BLACK  
GOLD




800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 4  
THICKNESS 15MM  
TYPE BLACK BODY

## BLACK NOIR

BLACK  
NOIR




800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE BLACK BODY



## BLACK PORTORO

BLACK  
PORTORO



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE BLACK BODY



## LABRADORITE

LABRADORITE




800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 3  
THICKNESS 15MM  
TYPE BLACK BODY



## MARCUS AQUA

MARCUS  
AQUA




800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE BLACK BODY



## MARMO FOREST

MARMO  
FOREST



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE BLACK BODY






ISLAND PLATFORM & DINING TABLETOP  
FRENCH GREY

KITCHEN COUNTERTOP  
FRENCH GREY

## MARQUINA FUSION



MARQUINA  
FUSION



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE BLACK BODY



ISLAND PLATFORM & DINING TABLETOP  
MUSHROOM GRANITE


## MUSHROOM GRANITE



MUSHROOM  
GRANITE

800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE BLACK BODY





RECEPTION TABLE  
OCEAN VOLGA

WALL  
OCEAN VOLGA

## OCEAN VOLGA



OCEAN  
VOLGA




800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE BLACK BODY



ISLAND PLATFORM  
LAURENT GOLD

KITCHEN COUNTERTOP  
LAURENT GOLD

## LAURENT GOLD




LAURENT  
GOLD



800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE BLACK BODY

## WOODY BLACK




800X3200MM, 800X3000MM,  
800X2400MM  
SURFACE HIGH GLOSS  
RANDOM 2  
THICKNESS 15MM  
TYPE BLACK BODY



## SLAB HANDLING

### TOOLS SUGGESTED FOR HANDLING


FOR HANDLING THE ENORMOUSLY SIZED SLABS, WE RECOMMEND CAREFUL HANDLING WITH THE HELP OF FOUR HANDLERS AT THE SAME TIME IN CASE OF THE LARGEST SIZE AND AT LEAST TWO HANDLERS FOR THE SMALLER SIZES OF THE SLABS.



REINFORCED TROLLEY




PARALLEL & TRANSVERSE GUIDES




SINGLE & DOUBLE SUCTION CUP

### HANDLING INSTRUCTIONS


WE RECOMMENDS THE USE OF A KIT OF DEVICES DESIGNED ESPECIALLY FOR THE HANDLING OF LARGE-SIZE SLABS.




WE RECOMMEND CARRYING OUT THE HANDLING JOB OF THE SLABS WITH FOUR HANDLERS AT THE SAME TIME.



ENSURE PROPER SUCTION WITH A VACUUM BETWEEN THE DEVICE AND THE SLAB AND USE A SINGLE DEVICE/SUCTION CUP FOR A MAXIMUM LENGTH OF UP TO 150CMS.



TO LIFT THE SLABS USE SUCKER CUPS AFTER CLEANING THE SLAB AND CUPS WITH A DAMP SPONGE. MAKE SURE THE DEVICE ALSO HAS SUCKERS THAT RUN ALONG WITH THE GUIDES AND ADHERE TO THE SLAB.




TO LIFT THE SLAB USE GUIDES FROM THE LONG SIDES OF THE SLAB AND LIFT/HANG IT VERTICALLY TO THE HANDLES OF THE TROLLEY FRAME. USE APPROPRIATE SIZE REINFORCED TROLLEY FOR VARIOUS SIZES OF SLABS.

## SLAB CUTTING & DRILLING

### TOOLS SUGGESTED FOR CUTTING AND DRILLING



WORKBENCH WITH ALUMINUM PROFILES




CUTTING UNIT




DIAMOND POLISHING PADS


### MANUAL CUTTING INSTRUCTIONS




LAY THE SLAB ON A FLAT SURFACE AND PREFERABLY ON A WORKBENCH WITH ALUMINUM PROFILES. MAKE SURE THE SURFACE IS STABLE FOR BOTH CUTTING AND DRILLING.



MAKE MARKINGS ON THE SLAB ACCORDING TO THE DESIRED CUTTING AND DRILLING NEED.




AFTER SCORING THE LENGTH AND MAKING THE CUT, MOVE THE SLAB OUT OF THE WORKBENCH TILL THE INCISION LINE AND SPLIT FROM BOTH SIDES USING CUTTING-OFF PLIERS.



SMOOTH THE EDGES OF THE LENGTH CUT WITH A DIAMOND POLISHING PAD.

SLAB LAYING


TOOLSSUGGESTEDFOR LAYING



3MM & 10MM TROWEL




RUBBER TROWEL & SPACERS




DEVICE FOR PLATE'S PULLING OVER AND LEVELING WEDGES & CLIPS

SLAB LAYING INSTRUCTIONS


CHECK THE LAYING SUBSTRATE. MAKE SURE IT IS CLEAN, MATURE, AND HOMOGENEOUS WITH NO CRACKS.




APPLY ADHESIVE ONTO THE BACK OF THE SLAB WITH A 3MM TROWEL IN ONE DIRECTION ONLY.




APPLY ADHESIVE ONTO THE FLOOR SUBSTRATE AT THE SAME TIME WHILE APPLYING ON THE SLAB WITH A 15MM U-NOTCH OR 19MM V-NOTCH TROWEL IN THE SAME DIRECTION AS THE SLABS.




POSITION THE SLAB ON THE ADHESIVE BED WITH A SUCKER FRAME WITH ADJUSTMENT OF A MINIMUM OF 3MM JOINT.



TAP THE SLAB FROM THE CENTER TO COMPLETE THE LAYING OF THE SLAB. MAKE SURE AIR IS EXPELLED AND THERE IS NO BUBBLE BETWEEN THE SLAB AND THE SUBSTRATE.




LEVEL THE WEDGES AT EACH LINEAR METER OF THE SLAB. KEEPING A 3MM JOINT THROUGH SPACERS. THE SPECIAL DEVICE OF PULLING OVER THE SLABS CAN BE USED FOR EASY LAYING AND SPACING.




USE A RUBBER TROWEL WITH A SUITABLE SEALANT WHILE TAPPING THE SLAB.


SLAB EDGE POSSIBILITIES




1-1/2" DUPONT BULLNOSE




1-1/2" PENCIL EDGE




1-1/2" DUPONT SQUARE



1-1/2" REVERSE BEVEL



3/4" DUPONT DEMI



1-1/2" DUPONT STEP SQUARE

CLEANING & MAINTENANCE

HIGH-QUALITY RAW MATERIALS, RIGOROUS PRODUCTION PARAMETERS, AND WORLD-CLASS TECHNOLOGY MAKE THE EXCLUSIVE OFFERING NONPOROUS AND THUS NO DUST OR DEPOSITED WASTE PENETRATES THE SURFACE. THE NO-MAINTENANCE SURFACES REQUIRE ONLY A DAMP CLOTH FOR CLEANING. ROUTINE AND RECURRING CLEANING SPOTLIGHTS THE AESTHETIC FEATURES OF THE SURFACES AND KEEPS THE SURFACES SHINE. FOR CLEANING CONTAMINATION AND STAINS CAUSED BY SOME COMMON FOOD AND OTHER MATERIAL FOLLOW THE TABLE

| TYPE OF STAIN | CHEMICAL PRODUCT   | EXAMPLE                                    |
|---------------|--------------------|--------------------------------------------|
| GREASE        | ALKALINE - SOLVENT | DETERGENT                                  |
| OIL           | SOLVENT            | AMMONIA, BAKING SODA                       |
| INK           | OXIDANT - SOLVENT  | ALCOHOL, LIQUID BLEACH, NAIL PAINT REMOVER |
| RUST          | ACID               | HYDROCHLORIC ACID, VINEGAR, RED HARPIC     |
| LIME          | ACID               | DESCALING AGENT, HYDROCHLORIC ACID         |
| CEMENT        | ACID               | HYDROCHLORIC ACID                          |
| WINE          | ALKALINE           | AMMONIA, LIQUID BLEACH                     |
| COFFEE        | ALKALINE - SOLVENT | AMMONIA, LIQUID BLEACH                     |
| RUBBER        | SOLVENT            | ALCOHOL, THINNER                           |
| PLASTER       | ACID               | HYDROCHLORIC ACID                          |
| CANDLE WAX    | SOLVENT            | ALCOHOL, THINNER                           |
| IODINE        | OXIDANT            | LIQUID BLEACH                              |
| BLOOD         | OXIDANT            | LIQUID BLEACH                              |
| ICE CREAM     | ALKALINE           | LIQUID BLEACH                              |

NOTE: IT IS RECOMMENDED THAT ANY KIND OF STAIN NEEDS TO GET CLEANED IMMEDIATELY/AS SOON AS POSSIBLE.

TECHNICAL SPECIFICATION

| CHARACTERISTIC                                         | STANDARD AS PER<br>ISO13006:2013/<br>EN14411 GR.B1A | STANDARD AS PER<br>IS 15622:2017 GR.B1A | MEAN VALUE OF<br>SLABS                     | METHOD OF<br>TESTING                   |
|--------------------------------------------------------|-----------------------------------------------------|-----------------------------------------|--------------------------------------------|----------------------------------------|
| REGULATORY PROPERTIES                                  |                                                     |                                         |                                            |                                        |
| DEVIATION IN LENGTH AND WIDTH                          | ±0.30 % (±1.00 MM)                                  | ±0.10 % ±5.0 %                          | ± 0.10 % ± 5.0 % ±                         | ISO 10545-2/15                         |
| DEVIATION IN THICKNESS                                 | ±5.0 % (± 0.50 MM)                                  | ±0.10 % ±0.10%                          | 0.10 % ± 0.10 % ±                          | 13330-1 ISO 10545-                     |
| STRAIGHTNESS IN SIDE                                   | ±0.30 % (± 0.30 MM)                                 | ±0.50 % ±0.50 %                         | 0.20 % ± 0.20 % ±                          | 2/15 13330-1 ISO                       |
| RECTANGULARITY                                         | ±0.30 % (±1.50 MM)                                  | ±0.50 % >95%                            | 0.10 % >95%                                | 10545-2/15 13330-1                     |
| SURFACE FLATNESS CENTRAL CURVATURE                     | ±0.40 % (± 1.30 MM)                                 | DEFECTS FREE                            | DEFECTS FREE Δε                            | ISO 10545-2/15                         |
| SURFACE FLATNESS EDGE CURVATURE                        | ±0.40 % (± 1.30 MM)                                 | N.A.                                    | <0.30                                      | 13330-1 ISO 10545-                     |
| SURFACE FLATNESS WARPAGE                               | ±0.40 % (± 1.30 MM)                                 |                                         |                                            | 2/15 13330-1 ISO                       |
| SURFACE QUALITY                                        | >95% DEFECTS FREE                                   |                                         |                                            | 10545-2/15 13330-1                     |
| SMALL COLOR DIFFERENCE<br>(FOR PLAIN COLOUR)           | ΔE <1.00                                            |                                         |                                            | ISO 10545-2/15                         |
| GLOSSINESS (POLISHED)                                  | AS PER MANUFACTURER                                 | AS PER MANUFACTURER                     | ≥ 90                                       | 13330-1 ISO 10545-2/15                 |
| GLOSSINESS (SATIN)                                     | AS PER MANUFACTURER                                 | AS PER MANUFACTURER                     | 7 ≤ GLOSS VALUE ≤ 25                       | ISO 10545-2/15                         |
| STRUCTURAL PROPERTIES                                  |                                                     |                                         |                                            |                                        |
| WATER ABSORPTION                                       | ≤0.50 %                                             | ≤0.030 %                                | ≤0.030 %                                   | ISO 10545-3/15                         |
| BULK DENSITY                                           | AS PER MANUFACTURER                                 | MIN 2.20 G/CC                           | > 2.23 GM/CC                               | 13330-2 ISO 10545-3/15 13330-2         |
| MASSIVE MECHANICAL PROPERTIES                          |                                                     |                                         |                                            |                                        |
| MODULUS OF RUPTURE                                     | MIN. 35.0 N/MM²                                     | MIN. 35.0 N/MM²                         | MIN. 40.0 N/MM²                            | ISO 10545-4/15 13330-3                 |
| BREAKING STRENGTH THICKNESS ≥7.5 MM                    | MIN 1300.0 N                                        | MIN 1300.0 N                            | MIN 1000.0 N                               | ISO 10545-4/15 13330-3                 |
| SURFACE MECHANICAL PROPERTIES                          |                                                     |                                         |                                            |                                        |
| MOHS HARDNESS #                                        | AS PER MANUFACTURER                                 | MIN. 5                                  | POLISHED MIN 4**/<br>SATIN & POSH MIN 6    | BS EN 15771/15 13330-13                |
| SURFACE ABRASION RESISTANCE #                          | AS PER MANUFACTURER                                 | MIN. CLASS II                           | POLISHED MIN II**/<br>SATIN & POSH MIN III | ISO 10545-7/15 13330-11                |
| THERMAL HYGROMETRIC PROPERTIES                         |                                                     |                                         |                                            |                                        |
| MOISTURE EXPANSION                                     | MAX 0.03% (0.6 MM/M)                                | MAX 0.02 MM/M                           | MAX 0.02 MM/M                              | ISO 10545-10/15 13330-                 |
| THERMAL EXPANSION(COE) AT 100°C                        | AS PER MANUFACTURER                                 | MAX. 6.0 X 10-6                         | MAX. 6.0 X 10-6                            | 3 ISO 10545-3/15                       |
| THERMAL SHOCK RESISTANCE                               | MIN 10 CYCLES                                       | MIN 10 CYCLES                           | MIN 10 CYCLES                              | 13330-4 ISO 10545-9/15                 |
| IMPACT RESISTANCE(COR) #                               | MIN. 0.55                                           | MIN 0.55                                | MIN 0.55                                   | 13330-5 ISO 10545-5/15                 |
| FROST RESISTANCE                                       | AS PER MANUFACTURER                                 | AS PER MANUFACTURER                     | FROST PROOF                                | 13330-14 ISO 10545-                    |
| GRAZING RESISTANCE AT 7.5 BAR                          | 4 CYCLES                                            | 4 CYCLES                                | 4 CYCLES                                   | 12/15 13330-10 ISO 10545-11/15 13330-9 |
| CHEMICAL PROPERTIES                                    |                                                     |                                         |                                            |                                        |
| RESISTANCE TO STAINING GLAZED                          | MIN. CLASS 3                                        | MIN CLASS 1                             | MIN. CLASS 3/MIN. CLASS 5                  | ISO 10545-14/15 13330-8                |
| RESISTANCE TO HOUSEHOLD CHEMICALS                      | MIN CLASS 6B                                        | MIN CLASS AA                            | MIN CLASS 6B/MIN CLASS AA                  | ISO 10545-13/15 13330-8                |
| SWIMMING POOL SALTS GLAZED                             |                                                     |                                         |                                            |                                        |
| RESISTANCE TO LOW CONCENTRATE ACID AND ALKALIS GLAZED  | AS PER MANUFACTURER                                 | AS PER MANUFACTURER                     | MIN CLASS 6B***/<br>MIN CLASS A***         | ISO-10545-13/15 13330-8                |
| RESISTANCE TO HIGH CONCENTRATE ACID AND ALKALIS GLAZED | AS PER MANUFACTURER                                 | AS PER MANUFACTURER                     | MIN CLASS 6B***/<br>MIN CLASS A***         | ISO-10545-13/15 13330-8                |
| SAFETY PROPERTIES                                      |                                                     |                                         |                                            |                                        |
| SKID RESISTANCE -<br>(DCOF-WET PENDULUM)##             | AS PER MANUFACTURER                                 | AS PER MANUFACTURER                     | GLOSSY ≥P0,SATIN,POSH ≥P7                  | ISO 10545-13/15 13330-8                |
| SLIP RESISTANCE -SATIN/POSH<br>(DCOF- R VALUE )##      | AS PER MANUFACTURER                                 | AS PER MANUFACTURER                     | ≥ R10                                      | DIN 51130                              |
| LEAD AND CADMIUM RELEASE                               | AS PER MANUFACTURER                                 | N.A.                                    | DOES NOT YIELD PB & CD                     | ISO-10545-15                           |

PACKING DETAIL

| SIZE      | THICKNESS | PCS/BOX | AREA/BOX | BOX/WT. |
|-----------|-----------|---------|----------|---------|
| 800X2400M | 15M       | 1 PC    | 1.92 MT² | 67 KG   |
| M         | M         | 1 PC    | 2.40 MT² | 84 KG   |
| 800X3000M | 15M       | 1 PC    | 2.56 MT² | 90 KG   |
| M         | M         |         |          |         |
| 800X3200M | 15M       |         |          |         |
| M         | M         |         |          |         |





[Divaqeramika.com](http://Divaqeramika.com)

+383 49 600 046

[divaqeramika@gmail.com](mailto:divaqeramika@gmail.com)

+383 49 668 382