




LARGEST PAVILION OF FULLBODY TILES



MASTER COLLECTION '24

# COLLECTION

FULLBODY 9MM 01

FULLBODY 15MM 53

STEP COLLECTION 67

CHROMATIC 73









# INSPI-RATION

**BEYOND THE NATURE** 

Draw inspiration from nature's rugged beauty. Our tiles evoke the essence of rocky landscapes and majestic mountains, bringing natural tranquility to your space.







INSPIRATION & VARIETY OF FULLBODY TILES

Explore the fusion of nature's splendor and innovative design with our diverse range of full-body tiles.

From rugged landscapes to tranquil shores, each tile is crafted to embody the essence of nature, offering limitless inspiration for your space.

# THE PROCESS OF FULLBODY TILES


Full-body tiles, also known as technical porcelain, undergo a meticulous manufacturing process that ensures their durability and aesthetic appeal. These tiles are crafted by blending clay, feldspar, quartz, and silica at elevated temperatures. Throughout this process, grains of the desired color are integrated into the base tile mixture, resulting in a uniform color distribution across the entire tile. To maintain the integrity of the composition, raw materials are stored in dedicated silos to prevent impurities from compromising the quality. In the manufacturing facility, raw materials for both the base color and the grains are carefully measured and stored in tanks.

Stringent specifications are continuously monitored to ensure consistency and quality. The precise mixture is then passed through a sieve, where the finest particles settle on a conveyor belt. This meticulous sieving process guarantees the production of superior-quality tiles with uniform texture and color. Following the sieving process, the mixture undergoes pressing, where it is compacted into molds under high pressure. This compression ensures that the tiles have a dense structure, enhancing their strength and durability.

The molded tiles are then given a punch effect and then subjected to firing in kilns at extremely high temperatures, allowing the materials to fuse together and solidify. Once the firing process is complete, the tiles undergo rigorous quality control inspections to detect any imperfections. Skilled technicians meticulously examine each tile for defects, ensuring that only flawless products reach the market. Finally, the tiles are carefully packaged and prepared for distribution to customers, ready to adorn residential and commercial spaces with their beauty and resilience.

















# BRING THE GLORIOUS CHARM WITH ENDURANCE AND GREAT FINISH



Designed to offer maximum flexibility, our tiles are available in three different sizes and come in two thickness options, catering to a wide range of design preferences seamlessly. Whether your aim is to make a striking impression or achieve a refined sophistication, our collection ensures a precise match for any environment. With diverse thicknesses tailored to various uses, spanning from flooring to wall installations, our tiles deliver unparalleled versatility, positioning them as the preferred selection for those pursuing excellence, elegance, and practicality in their interior design projects.

#### **ULTIMATE FEATURES** FOR EXCITING LIFESTYLE

Revolutionize your living space with tiles tailored for an exceptional lifestyle. With an antimicrobial surface, hygiene is effortlessly maintained. Superior stain resistance ensures easy upkeep, while heat-resistant properties promise durability in diverse environments. Simplify maintenance with easy-care features, perfect for bustling spaces. From kitchens to bathrooms, our tiles seamlessly blend functionality with elegance, offering a versatile solution for every area of your home, ensuring both style and peace of mind for a vibrant lifestyle.



#### Anti-microbial hygienic surface

The surface prevents microbial growth for enhanced hygiene.



#### Ultra-high heat resistance

kitchen & dining spaces.



#### Superior stain resistance




#### Easy to clean

Requires no extra efforts to clean & routine cleaning is enough



#### Resists UV rays

UV rays don't alter or damage the color & form of the surfaces



#### RANGE OF POSSIBLE APPLICATION

Explore the versatility of our tiles across schools, restaurants, hotels, residential spaces, industries, commercial areas, and more. From high-traffic environments to spaces requiring aesthetic appeal, our tiles offer the perfect solution. With a diverse range designed to meet various needs, they seamlessly blend functionality with style, enhancing the ambiance of any setting they adorn, ensuring a transformative experience for every space they grace.



Residential



Building







Airport





School & College














600X600MM | 600X1200MM | 800X1600MM

# EXPLORE THE WORLD OF MAGNIFICENT SURFACE

Elegantly crafted tiles captivate everyone with lavish finish and epic shades.



# **DOLPHIN**






#### 800x1600mm

POLISHED FINISH












MATT FINISH

### 600x1200mm



STONE PUNCH















LINEA PUNCH





STRAPES PUNCH



# **DOLPHIN**



# LARGEST PAVILION OF FULLBODY TILES







MATT FINISH



ROCK PUNCH





HIGH STRENGTH



MAINTENANCE FREE



CHEMICAL RESISTANCE





# **DOLOMINE**





#### 800x1600mm

#### POLISHED FINISH





THICKNESS 9MM










CHEMICAL RESISTANCE

MATT FINISH

# LARGEST PAVILION OF FULLBODY TILES




#### 600x1200mm





STRAPES PUNCH



# **BUTTER**





#### 800x1600mm

POLISHED FINISH













MATT FINISH

# LARGEST PAVILION OF FULLBODY TILES



# 600x1200mm | 600X600MM





# **NUT BROWN**



# LARGEST PAVILION OF FULLBODY TILES



### 600x600mm





MATT FINISH



● ROCK PUNCH





HIGH STRENGTH



FREE






# **APRICOT**





### 600x1200mm



STRAPES PUNCH





FREE



STRENGTH

# LARGEST PAVILION OF FULLBODY TILES











# **GRAPHITE**





### 600x1200mm



STRAPES PUNCH





FREE




STRENGTH



#### LARGEST PAVILION OF **FULLBODY TILES**









# **SMOKE**




# LARGEST PAVILION OF FULLBODY TILES






# 600x1200mm | 600x600mm











THICKNESS 9MM









# **MUD**



# LARGEST PAVILION OF FULLBODY TILES



## 600x600mm





MATT FINISH



● ROCK PUNCH





HIGH STRENGTH



MAINTENANCE FREE



CHEMICAL RESISTANCE



# **COOKIE**









## 600x1200mm | 600x600mm














# **BOURBON**



# LARGEST PAVILION OF FULLBODY TILES



# 600x1200mm | 600x600mm





MATT FINISH



**♥ POLISHED** FINISH










HIGH STRENGTH



MAINTENANCE FREE



CHEMICAL RESISTANCE



# **MUSHROOM**




THICKNESS 9MM

HIGH STRENGTH

MAINTENANCE FREE

CHEMICAL RESISTANCE



# 800x1600mm | 600x600mm









MATT FINISH
 MATT FINISH

### 600x1200mm



POLISHED FINISH










STONE PUNCH



⊕ STRAPES PUNCH



LINEA PUNCH

# **TERRAIN**



# LARGEST PAVILION OF FULLBODY TILES



### 600x1200mm











THICKNESS 9MM




HIGH STRENGTH



MAINTENANCE FREE



CHEMICAL RESISTANCE



# **ALPINE WHITE**



# LARGEST PAVILION OF FULLBODY TILES






# 800x1600mm | 600x1200mm

POLISHED FINISH

O POLISHED FINISH








HIGH STRENGTH









# **FOREST**





#### 800x1600mm

POLISHED FINISH











MAINTENANCE FREE



MATT FINISH


# LARGEST PAVILION OF FULLBODY TILES



### 600x1200mm

● POLISHED FINISH

■ MATT FINISH



# **GALAXY**




# LARGEST PAVILION OF FULLBODY TILES













THICKNESS 9MM



HIGH STRENGTH



MAINTENANCE FREE



CHEMICAL RESISTANCE




# **STEEL GREY**





#### 800x1600mm

POLISHED FINISH







THICKNESS 9MM









MATT FINISH

#### LARGEST PAVILION OF **FULLBODY TILES**



# 600x1200mm | 600X600MM





# **SLATE GREY**





### 800x1600mm

MATT FINISH





0

FREE



### 600x600mm

MATT FINISH



#### ROCK PUNCH


# LARGEST PAVILION OF FULLBODY TILES



### 600x1200mm

MATT FINISH
 ST







LINEA PUNCH

⊕ STRAPES PUNCH

# **COTTA**

# 600x1200mm | 600x600mm

MATT FINISH









# **CHARCOAL BLACK**





#### 800x1600mm

POLISHED FINISH





HIGH STRENGTH





MAINTENANCE FREE

MATT FINISH

# LARGEST PAVILION OF FULLBODY TILES



### 600x1200mm

POLISHED FINISH








LINEA PUNCH

STONE PUNCH



STRAPES PUNCH






# **SNOW WHITE**





#### 600x1200mm



⊕ STRAPES PUNCH








HIGH STRENGTH



#### LARGEST PAVILION OF **FULLBODY TILES**







# **OLIVE**






### 600x1200mm

CHEMICAL RESISTANCE

MAINTENANCE FREE




STRAPES PUNCH











# **PURE BLACK**



### 600x600mm







# **JAISALMER**



# 600x1200mm | 600x600mm



MATT FINISH

MATT FINISH






# 600x1200mm



COTTON POLISHED FINISH COTTON MATT FINISH



# LARGEST PAVILION OF FULLBODY TILES





CADET • POLISHED FINISH CADET • MATT FINISH






# 600x1200mm





SILVER • POLISHED FINISH SILVER • MATT FINISH



# LARGEST PAVILION OF FULLBODY TILES







LEAD POLISHED FINISH LEAD • MATT FINISH





# 600x1200mm

# LARGEST PAVILION OF FULLBODY TILES














**HAZEL** POLISHED FINISH HAZEL MATT FINISH





# INTRODUCING THE DAWN OF ERA FOR EXCEPTIONAL SURFACE.

Meticulously designed tiles enchant with sumptuous detailing and stunning color palettes.



# **COOKIE**



# LARGEST PAVILION OF FULLBODY TILES




## 600x600mm













MAINTENANCE FREE



CHEMICAL RESISTANCE



# **DOLPHIN**



# LARGEST PAVILION OF FULLBODY TILES



## 600x600mm









HIGH STRENGTH



MAINTENANCE FREE



CHEMICAL RESISTANCE

# **GRAPHITE**



# LARGEST PAVILION OF FULLBODY TILES



# 600x600mm









MAINTENANCE FREE





### **MUSHROOM**



## LARGEST PAVILION OF FULLBODY TILES



### 600x600mm









MAINTENANCE FREE





### **OLIVE**



## LARGEST PAVILION OF FULLBODY TILES



### 600x600mm











MAINTENANCE FREE



CHEMICAL RESISTANCE

### **SLATE GREY**




## LARGEST PAVILION OF FULLBODY TILES



### 600x600mm















CHEMICAL RESISTANCE





300X1200MM | 600X1200MM

## UNVEILING THE NEW EPOCH FOR EXTRAORDINARY PRODUCT


Exquisitely crafted tiles have intricate designs and captivating color combinations.





## LARGEST PAVILION OF FULLBODY TILES








BULL NOSE MOULDING





SANDWICH

GROOVE WITH EPOXY FILLING

















BULL NOSE SANDWICH MOULDING

GROOVE WITH EPOXY FILLING



HIGH STRENGTH


MAINTENANCE FREE

CHEMICAL RESISTANCE














# Chromatic







MAINTENANCE FREE



CHEMICAL RESISTANCE



**EMERALD** 

DUSK

RUSTIC FINISH

RUSTIC FINISH







HIGH STRENGTH


MAINTENANCE FREE

CHEMICAL RESISTANCE














# Chromatic











CHEMICAL RESISTANCE



**SALMON** 


**TENDER** 

RUSTIC FINISH

RUSTIC FINISH







### **Technical Specification**

TECHNICAL DETAILS	STANDARD AS PER ISO-13006/EN176 GROUP Bla	MEAN VALUE OF FULL BODY VITRIFIED TILES	METHOD OF TEST	
Deviation In Length & Width	± 0.60%	± 0.10%	ISO-10545-2	
Deviation In Thickness	+ 5.00%	+2.00%	ISO-10545-2	
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2	
Rectangularity	+ 0.60%	± 0.10%	ISO-10545-2	
Surface Flatness	± 0.50%	± 0.10%	ISO-10545-2	
Glossiness	Gloss Meter	Min. 90%	Glossometer	
Water Absorption	≤ 0.50%	E≤0.03%	ISO-10545-3	
Breaking Strength	1300 N	1800 N	ISO-10545-4	
Abrasion Resistance	Max. 175mm	Max. 145mm³	ISO-10545-6	
Moh's Hardness	Min. 6	≤ 6*	EN101	
Frost Resistance	Frost Proof	Frost Proof	ISO-10545-12	
Thermal Shock	No Damage	No Damage	ISO-10545-9	
Moisture Expansion	Nil	Nil	ISO-10545-10	
Thermal Expansion	<9 x 10-6	< 6 x 10-6	ISO-10545-8	
Resistance of House Hold Chemical	No Damage	No Damage*	ISO-10545-13	
Stain Resistance	Resistance	Resistance*	ISO-10545-14	
Slip Resistance(friction Co Efficient)	> 0.40	> 0.40	ISO-10545-17	

### **Packing Details**

SIZE	PCS./BOX	WEIGHT / BOX (Approx)		COVERAGE AREA / BOX
		POLISHED	MATT	
800x1600mm	2 Pcs.	51 Kg.	55 Kg.	2.56 mtr <sup>2</sup>
600x1200mm	2 Pcs.	27.5 Kg.	29.5 Kg.	1.44 mtr <sup>2</sup>
600x600mm (9mm)	4 Pcs.	26.5 Kg.	28.5 Kg.	1.44 mtr <sup>2</sup>
600x600mm (15mm)	2 Pcs.	N/A	23.5 Kg.	0.72 mtr <sup>2</sup>
300x1200mm (Full Body Stap)	2 Pcs.	16.5 Kg.	16.5 Kg.	0.72 mtr <sup>2</sup>





Divaqeramika.com

+383 49 600 046

divaqeramika@gmail.com

+383 49 668 382