





ENHANCE YOUR LIVING SPACE

1200x1200mm
9mm & 12mm

Words are the sparks that ignite the bonfire of creativity,
lighting up the darkest corners of our minds.







Nature,

C R E A T I V I T Y

Art Stone is born where nature, creativity and design come together: an exclusive concept given form in three stones that are completely new, yet incredibly authentic down to the tiniest detail.

—
La rencontre de la nature, de la créativité et du design a donné naissance à Art Stone. Cette solution haut de gamme se décline en trois pierres totalement inédites bien qu'incroyablement fidèles jusqu'aux moindres détails.

—
1200x1200mm



1200 X 1200mm | Surface : **GLOSSY**



BURBERRY CREMA



RANDOM



BURBERRY GREY



RANDOM



BURBERRY BIRCH



RANDOM



1200 X 1200mm | Surface : **GLOSSY**





1200 X 1200mm | Surface : **GLOSSY**



TRAVERTINE



RANDOM



VENICE IVORY




RANDOM



VENICE BIANCO



RANDOM



VENICE BROWN



RANDOM



1200 X 1200mm | Surface : **GLOSSY**






1200 X 1200mm | Surface : **GLOSSY**



SILVER FOX



RANDOM



CLOUDY BEIGE




RANDOM



CLOUDY CORAL



RANDOM



1200 X 1200mm | Surface : **GLOSSY**





1200 X 1200mm | Surface : **GLOSSY**



VIVALTO GRIS



RANDOM



VIVALTO BIRCH



RANDOM



Preview Shown : VIVALTO GRIS & VIVALTO BIRCH

1200 X 1200mm | **GLOSSY**

1200 X 1200mm | Surface : **GLOSSY**



ALBANIA GREY



RANDOM



ALBANIA BROWN



RANDOM



ALBANIA HAZEL



RANDOM



1200 X 1200mm | Surface : **GLOSSY**





1200 X 1200mm | Surface : **GLOSSY**



TERRA MARINE WHITE



RANDOM



TERRA MARINE FOSSIL



RANDOM



1200 X 1200mm | Surface : **GLOSSY**



TERRA MARINE BIRCH



RANDOM



1200 X 1200mm | Surface :
GLOSSY



AMBROSIA BEIGE



RANDOM



AMBROSIA FOSSIL



RANDOM



Preview Shown : **AMBROSIA BEIGE & AMBROSIA FOSSIL**

1200 X 1200mm | **GLOSSY**



WILLIAMS GREY



RANDOM



WILLIAMS BROWN



RANDOM



WILLIAMS SILVER



RANDOM





1200 X 1200mm | Surface : **GLOSSY**



LYRIO IVORY



RANDOM




LYRIO CORAL




RANDOM



LYRIO WHITE



RANDOM



1200 X 1200mm | Surface : **GLOSSY**








ENRICH



RANDOM



GENESIS



RANDOM



ROSALIA




RANDOM



ALASKA



RANDOM








PIMAR



RANDOM



CLIFF GREY



RANDOM



INFINITY BIRCH



RANDOM



INFINITY CREMA



RANDOM







BRECCIA ARORA




RANDOM



BLISS



RANDOM



CARRARA



RANDOM







PEARL WHITE




RANDOM



ICELAND



RANDOM



Preview Shown : ICELAND

1200 X 1200mm | GLOSSY

1200 X 1200mm | Surface : **GLOSSY**



INVISIBLE



RANDOM



VOILA GOLD



RANDOM



DOVER



RANDOM



CAMOUFLAGE



RANDOM



1200 X 1200mm | Surface : **GLOSSY**







A close-up photograph of a textured surface, likely a wall or ceiling. The texture is characterized by prominent diagonal lines and a mottled pattern of light and dark gray. The surface appears to be made of a material like plaster or concrete, with some areas showing more pronounced ridges and grooves than others. The lighting is somewhat uneven, creating subtle gradients of gray across the frame.





POLAR WHITE



RANDOM



FELIZ



RANDOM



AURA BEIGE



RANDOM



1200 X 1200mm |

Surface :
GLOSSY



TORANO GREY



RANDOM



TORANO BEIGE



RANDOM



Preview Shown : TORANO BEIGE

1200 X 1200mm | GLOSSY

1200 X 1200mm | Surface :
GLOSSY



ARMANI GRIS



RANDOM



ARMANI HAZEL



RANDOM



1200 X 1200mm | Surface :
GLOSSY



ARMANI FOSSIL



RANDOM




1200 X 1200mm | Surface : **GLOSSY**



TOSCANA




RANDOM



SILENCE



RANDOM



Preview Shown : **SILENCE**

1200 X 1200mm | **GLOSSY**



COLBERT



RANDOM



PERLATO BEIGE



RANDOM



PERLATO GRIS



RANDOM





1200 X 1200mm | Surface : **GLOSSY**



BERLINO GREEN



RANDOM



CARRASTONE IVORY



RANDOM



CARRASTONE BIANCO



RANDOM



1200 X 1200mm | Surface : **GLOSSY**






IRIS BIRCH




RANDOM



IRIS WHITE




RANDOM



IRIS GREY



RANDOM






1200 X 1200mm | Surface : **GLOSSY**



FILLSTONE WHITE



RANDOM



FILLSTONE GREY



RANDOM



Preview Shown : **FILLSTONE GREY**

1200 X 1200mm | **GLOSSY**



SWISS MUSTARD



RANDOM



SWISS BIANCO



RANDOM



CRYSTAL ONYX GOLD



RANDOM



CRYSTAL ONYX



RANDOM





1200 X 1200mm | Surface : **GLOSSY**



OMICORN FOSSIL



RANDOM



OMICORN HAZEL



RANDOM



Preview Shown : **OMICORN FOSSIL**

1200 X 1200mm | **GLOSSY**



ESSEN SAGE



RANDOM



ESSEN HAZEL



RANDOM



ESSEN FOSSIL



RANDOM





1200 X 1200mm | Surface : **GLOSSY**



METEORA IVORY



RANDOM



1200 X 1200mm | Surface : **GLOSSY**



METEORA WHITE



RANDOM



METEORA GREY



RANDOM



1200 X 1200mm | Surface : **GLOSSY**



CALACATTA HAZEL



RANDOM



CALACATTA WHITE



RANDOM



CALACATTA BROWN



RANDOM



1200 X 1200mm | Surface : **GLOSSY**








ALPINUS BROWN




RANDOM



ALPINUS GREY



RANDOM



Preview Shown : ALPINUS GREY

1200 X 1200mm | GLOSSY




ARBESCATO FOSSIL



RANDOM




ARBESCATO GRIS



RANDOM



ARBESCATO BIANCO



RANDOM





VENATINO HAZEL



RANDOM



VENATINO GRIS



RANDOM



Preview Shown : **VENATINO HAZEL**

1200 X 1200mm | **GLOSSY**

1200 X 1200mm | Surface : **GLOSSY**

**EMPRESA ONYX SAGE**

RANDOM

EMPRESA ONYX MUSTARD

RANDOM



Preview Shown : **EMPREZZA ONYX MUSTARD**

1200 X 1200mm | GLOSSY



ALPERA PULPIS HAZEL



RANDOM



ALPERA PULPIS GRIS



RANDOM



ALPERA PULPIS FOSSIL



RANDOM






BORGHINI BROWN



RANDOM



BORGHINI SAGE



RANDOM



BORGHINI GRIS



RANDOM



1200 X 1200mm | Surface : **GLOSSY**



ARGENTA BIANCO



RANDOM



ARGENTA MUSTARD



RANDOM



ARGENTA SKY



RANDOM



TECHNICAL SPECIFICATIONS

S.No	Technical Characteristics	* IS 15622:2017, *EN 14411:2016 & ISO 13006:2018 Group B1a (Annex G) Standard's Requirement	Tile's Specifications	Test method
1.	Deviation in length & width	± 0.1 % ± 0.6 %/ ± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
2.	Deviation in thickness	± 5.0 %	± 4.00 %	IS 13630-1 EN ISO 10545-2
3.	Deviation in Straightness of sides	± 0.1 % ± 0.5 %/± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
4.	Deviation in Rectangularity	± 0.1 % ± 0.5 %/± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
5.	Deviation in Surface Flatness	± 0.5 % ± 0.5 %/± 0.4 %	± 0.15 %	IS 13630-1 EN ISO 10545-2
6.	Surface quality	95% of the tiles shall be free from visible defects	95% of the tiles shall be free from visible defects	IS 13630-1 EN ISO 10545-2
7.	Modulus of rupture	Avg. 35 N/mm2, individual Min 32 N/mm2	≥ 40 N/mm²	IS 13630-6 / EN ISO 10545-4
8.	Breaking strength	Minimum 1300 N	≥ 2000 N	IS 13630-6 / EN ISO 10545-4
9.	Bulk Density	Minimum 2.20 g/cc	≥ 2.25 g/cc	IS 13630-2
10.	Glossiness	Manufacture to state the class	Min 5 for Rustic/Matt/Satin Finish Min 90 for Polish Finish	Glossimeter 60 degrees
11.	Water Absorption	≤ 0.08 %, Individual Max 0.1% ≤ 0.5 %, Individual Max. 0.6 %	≤ 0.08 %, Individual Max 0.1% ≤ 0.3 % (Only for 13x80 cm)	IS 13630-2 / EN ISO 10545-3
12.	Resistance to surface abrasion of Glazed tiles	Minimum Class II Report abrasion class and cycles passed	PEI-Class III to Class IV	IS 13630-11 EN ISO 10545-7
13.	Thermal expansion from ambient temperature to 100 ° C	Test method available	6x10 ⁻⁶ K ⁻¹ Maximum	IS 13630-4 EN ISO 10545-8
14.	Thermal shock resistance	10 cycles Minimum Test method available	10 cycles Minimum	IS 13630-5 EN ISO 10545-9
15.	Moisture expansion	Maximum 0.02 Millimeter/Metre Test method available	Nil	IS 13630-3 EN ISO 10545-10
16.	Crazing resistance (Glazed Tiles)	Passes 4 cycles at 7.5 kg/cm2 Required	Passes 4 cycles at 7.5 kg/cm²	IS 13630-9 EN ISO 10545-11
17.	Frost resistance	Required	100 cycles Minimum	IS 13630-10 EN ISO 10545-12
18.	Resistance to Household Chemicals & Swimming Pool Salts #	Minimum Class AA Minimum GB	Minimum Class AA Minimum GB	IS 13630-8 EN ISO 10545-13
19.	Resistance to low & high concentration of acids & alkalis #	Manufacturer to state classification	Minimum Class AA Minimum GLB,GHB	IS 13630-8 EN ISO 10545-13
20.	Stain resistance**	Minimum Class 1 Minimum Class 3	Minimum Class 1 Minimum Class 3	IS 13630-8 EN ISO 10545-14
21.	Slipperiness	Test method available	≥ R-9 to R-10 for Rustic/Matt/Satin Finish ≥ R-9 for Polish Finish	DIN 51130:2014
22.	Co-efficient of friction	Manufacture to state the class	≥ 0.32 for Rustic/Matt/Satin Finish > 0.20 for Polish Finish	ISO 10545-17
23.	Scratch hardness of surface(Moh's scale)	Minimum 5 Test method available	Min 6 for Rustic/Matt/Satin Finish Min 5 for Polish/Marbletech Finish	IS 13630-13 EN 101
24.	Impact Resistance	Minimum 0.55 Test method available	Min 0.55 & No identification of cracking	IS 13630-14 EN ISO 10545-5

PACKING DETAILS:

Size	Thickness (Approx.)	Pallet Packing	Pallets	Boxes/Container	Sq.Mtr/Container	Total Wt.
1200x1200mm	12 mm	13 Big Pallets / 22 Box	17 Pallets	350 Box	1008	27300 (Approx.)
		4 Small Pallets / 16 Box				

Size	Thickness (Approx.)	Pallet Packing	Pallets	Boxes/Container	Sq.Mtr/Container	Total Wt.
1200x1200mm	9 mm	13 Big Pallets / 30 Box	17 Pallets	470 Box	1353.6	28200 (Approx.)
		4 Small Pallets / 20 Box				





Divaqeramika.com

+383 49 600 046

divaqeramika@gmail.com

+383 49 668 382