



ELEVATE  
YOUR INTERIORS  
WITH THE

# Inkstone

COLLECTION

2025

60x120CM | INKY SERIES

**Storico**  
ceramica



THE MOST  
EXCITING  
COLLECTION  
600x1200mm

ELEVATE  
YOUR INTERIORS  
WITH THE  
STUNNING  
INKY  
TILES  
TRENDS  
2025

Worth  
a look

"INSPIRATION  
FOR YOUR  
UPCOMING  
INTERIOR  
PROJECTS



# Inkstone

COLLECTION

The Inkstone Collection—a masterpiece of design inspired by nature's symmetry. Each tile is a canvas, merging intricate patterns to create a stunning mirror effect that transforms spaces into a work of art. Ideal for feature walls, flooring, or statement surfaces that offer flawless alignment, a luxurious finish, and versatility for residential and commercial applications alike.


**Elevate your design vision with a Inkstone collection that redefines grandeur—because your space deserves nothing short of perfection.**



Symmetry in design,  
perfection in every tile—  
transform your space with  
Inkstone elegance.

The Inkstone Collection is designed to create a mirrored, symmetrical pattern when paired. Their innovative alignment system guarantees flawless joins, while the high-definition surface printing captures intricate details with lifelike clarity. Engineered from robust materials, Inkstone Collection delivers superior durability, scratch resistance, and low porosity, making them ideal for high-traffic areas and wet areas, such as showers, or artistic installations. In key tiles fuse technical perfection and transform spaces into bold architectural statements.





AVENUE BROWN

AVENUE GREEN

BOLVIA BROWN

BONAIRE BLUE

BONAIRE MINT

BRASILIA AQUA

COLOMBO MIX

LEAFY MINT ONYX



LIMA BLUE

LOREM AQUA

LUCIA LEMON MIX

LUNAR BROWN

LUNAR GREEN

MURFY BLUE

OCEAN AQUA

OCEAN BROWN



PALAZO AQUA BLUE


PERLINE ICE

PERLINE LEMON

PISA AQUA

PISA BROWN

VENEZUELA MIX



# Inkstone

COLLECTION

Name - **AVENUE BROWN**

Size - 600x1200mm

Available Finish - **Glossy**

Random - 4 faces






**BACK TO  
INDEX**



**AVENUE BROWN**  
600x1200mm | Glossy Finish





# Inkstone

COLLECTION

Name - **AVENUE GREEN**

Size - 600x1200mm

Available Finish - **Glossy**

Random - 4 faces








**BACK TO  
INDEX**



**AVENUE GREEN**  
600x1200mm | Glossy Finish





## Inkstone

COLLECTION

Name - **BOLVIA BROWN**

Size - 600x1200mm

Available Finish - **Glossy**

Random - 4 faces



BACK TO  
INDEX



**BOLVIA BROWN**  
600x1200mm | Glossy Finish





## Inkstone

COLLECTION

Name - **BONAIRE BLUE**

Size - 600x1200mm

Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**





## Inkstone

COLLECTION

Name - **BONAIRE MINT**


Size - 600x1200mm


Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**





# Inkstone

COLLECTION

Name - **BRASILIA AQUA**

Size - 600x1200mm

Available Finish - **Glossy**


Random - 4 faces




**BACK TO  
INDEX**



**BRASILIA AQUA**  
600x1200mm | Glossy Finish





## Inkstone

COLLECTION

Name - **COLOMBO MIX**

Size - 600x1200mm


Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**





## Inkstone

COLLECTION

Name - **LEAFY MINT ONYX**


Size - 600x1200mm


Available Finish - **Glossy**

Random - 4 faces



BACK TO  
INDEX





## Inkstone

COLLECTION

Name - **LIMA BLUE**

Size - 600x1200mm

Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**





# Inkstone

COLLECTION

Name - **LOREM AQUA**


Size - 600x1200mm


Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**





# Inkstone

COLLECTION

Name - **LUCIA LEMON MIX**

Size - 600x1200mm



Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**





## Inkstone

COLLECTION

Name - **LUNAR BROWN**

Size - 600x1200mm



Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**





# Inkstone

COLLECTION

Name - **LUNAR GREEN**

Size - 600x1200mm

Available Finish - **Glossy**

Random - 4 faces



BACK TO  
INDEX



**LUNAR GREEN**  
600x1200mm | Glossy Finish





# Inkstone

COLLECTION

Name - **MURFY BLUE**

Size - 600x1200mm


Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**





# Inkstone

COLLECTION

Name - **OCEAN AQUA**

Size - 600x1200mm



Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**





# Inkstone

COLLECTION

Name - **OCEAN BROWN**

Size - 600x1200mm





Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**





## Inkstone

COLLECTION

Name - **PALAZO AQUA BLUE**

Size - 600x1200mm

Available Finish - **Glossy**

Random - 4 faces





**BACK TO  
INDEX**



## **PALAZO AQUA BLUE**

600x1200mm | Glossy Finish





# Inkstone

COLLECTION

Name - **PERLINE ICE**

Size - 600x1200mm



Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**





## Inkstone

COLLECTION

Name - **PERLINE LEMON**

Size - 600x1200mm

Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**





# Inkstone

COLLECTION

Name - **PISA AQUA**

Size - 600x1200mm

Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**





## Inkstone

COLLECTION

Name - **PISA BROWN**


Size - 600x1200mm




Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**





## Inkstone

COLLECTION

Name - **VENEZUELA MIX**


Size - 600x1200mm

Available Finish - **Glossy**

Random - 4 faces



**BACK TO  
INDEX**



# TECHNICAL SPECIFICATION

| DEVIATION IN DIMENSIONS OF TILE | TEST NAME   | TEST METHOD              | ISO STANDARD                | TEST RESULT          |
|---------------------------------|---|--------------------------|-----------------------------|----------------------|
|                                 | DEVIATION IN LENGTH   | UNO- EN - ISO - 10545-2  | +/- 0.6%                    | 0.02%                |
|                                 | DEVIATION IN WIDTH  | UNO- EN - ISO - 10545-2  | +/- 0.6%                    | 0.00%                |
|                                 | DEVIATION IN THICKNESS  | UNO- EN - ISO - 10545-2  | +/- 5%                      | 0.85%                |
|                                 | STRAIGHTNESS IN LENGTH SIDE                                     | UNO- EN - ISO - 10545-2  | +/- 0.5%                    | 0.03%                |
|                                 | STRAIGHTNESS IN WIDTH SIDE                                      | UNO- EN - ISO - 10545-2  | +/- 0.5%                    | 0.03%                |
|                                 | RECTANGULARITY IN LENGTH  | UNO- EN - ISO - 10545-2  | +/- 0.5%                    | 0.03%                |
|                                 | RECTANGULARITY IN WIDTH   | UNO- EN - ISO - 10545-2  | +/- 0.5%                    | 0.04%                |
|                                 | SURFACE FLATNESS IN LENGTH                                      | UNO- EN - ISO - 10545-2  | +/- 0.5%                    | 0.03%                |
|                                 | SURFACE FLATNESS IN WIDTH                                       | UNO- EN - ISO - 10545-2  | +/- 0.5%                    | 0.02%                |
|                                 | EDGE CURVATURE OF LENGTH  | UNO- EN - ISO - 10545-2  | +/- 0.5%                    | 0.03%                |
|                                 | EDGE CURVATURE OF WIDTH   | UNO- EN - ISO - 10545-2  | +/- 0.5%                    | 0.05%                |
| OTHER TEST                      | SURFACE QUALITY   | UNO- EN - ISO - 10545-2  | 95% DEFECT FREE             | 100% DEFECT FREE     |
|                                 | WATER ABSORPTION  | UNO- EN - ISO - 10545-3  | < /= 0.5%                   | 0.057%               |
|                                 | BREAKING STRENGTH   | UNO- EN - ISO - 10545-4  | >1300 N                     | 1950.77 N            |
|                                 | MODULUS OF RUPTURE  | UNO- EN - ISO - 10545-4  | MIN. 35 N / mm2             | 41.0 N / mm2         |
|                                 | RESISTANCE TO DEEP ABRASION                                     | UNO- EN - ISO - 10545-7  | NO MIN. STANDARD            | 1500 REVOLUTION PASS |
|                                 | COEFFICIENT OF RESTITUTION (RESISTANCE TO IMPACT)               | UNO- EN - ISO - 10545-5  | NO MIN. STANDARD            | 0.85                 |
|                                 | COEFFICINET OF LINEAR THERMAL (EXPANSION (ROOM TEMP. TO 1003 C) | UNO- EN - ISO - 10545-8  | 9 X 10-6 AT MAX.            | 2.67 X 10-6          |
|                                 | MOISTURE EXPANSION  | UNO- EN - ISO - 10545-10 | NO MIN. STANDARD            | 0.002 mm/M           |
|                                 | RESISTANCE TO THERMAL SHOCK                                     | UNO- EN - ISO - 10545-9  | 10 CYCLE PASS AND NO DAMAGE | NO DAMAGE OBSERVED   |
|                                 | RESISTANCE TO CRAZING   | UNO- EN - ISO - 10545-11 | 2 CYCLE PASS AND DAMAGE     | NO DAMAGE OBSERVED   |
|                                 | RESISTANCE TO FROST   | UNO- EN - ISO - 10545-12 | 50 CYCLE PASS               | 100 CYCLE PASS       |
|                                 | RESISTANCE TO GREEN STAIN                                       | UNO- EN - ISO - 10545-14 | MIN. CLASS 3                | CLASS 5 PASS         |
|                                 | RESISTANCE TO RED STAIN   | UNO- EN - ISO - 10545-14 | MIN. CLASS 3                | CLASS 5 PASS         |
|                                 | RESISTANCE TO BLUE / BLACK STAIN                                | UNO- EN - ISO - 10545-14 | MIN. CLASS 3                | CLASS 5 PASS         |
|                                 | RESISTANCE TO OIL BASED STAIN                                   | UNO- EN - ISO - 10545-14 | MIN. CLASS 3                | CLASS 5 PASS         |
|                                 | RESISTANCE TO LOW CONC. ACID                                    | UNO- EN - ISO - 10545-13 | NO. MIN STANDARD            | GLA                  |
|                                 | RESISTANCE TO LOW CONC. ALKALI                                  | UNO- EN - ISO - 10545-13 | NO. MIN STANDARD            | GLA                  |
|                                 | RESISTANCE TO HIGH CONC. ACID.                                  | UNO- EN - ISO - 10545-13 | NO. MIN STANDARD            | GLA                  |
|                                 | RESISTANCE TO HIGH CONC. ALKALI                                 | UNO- EN - ISO - 10545-13 | NO. MIN STANDARD            | GLA                  |
|                                 | RESISTANCE TO HOUSE HOLD CHEMICALS                              | UNO- EN - ISO - 10545-13 | MIN. CLASS B                | GA                   |
|                                 | RESISTANCE TO SWIMMING POOL SALTS                               | UNO- EN - ISO - 10545-13 | MIN. CLASS B                | GA                   |
|                                 | RELEASE OF LEAD   | UNO- EN - ISO - 10545-15 | 0.8 mg/dm3                  | 0.008 mg/dm3         |
|                                 | RELEASE OF CADMIUM  | UNO- EN - ISO - 10545-15 | 0.07 mg/dm3                 | 0.004 mg/dm3         |

we are certified from ISO and CE





[Divaqeramika.com](http://Divaqeramika.com)

+383 49 600 046

[divaqeramika@gmail.com](mailto:divaqeramika@gmail.com)

+383 49 668 382